



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N° 0075/154/161/07/20/2002 EXT 01/10/21**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** **AIGLE INTERNATIONAL S.A**  
57 BOULEVARD DE MONTMORENCY, 75016 PARIS  
FRANCE

### Description

**PPE Type :** *a safety footwear*  
**Product reference :** **R1283**  
**Article code :** **ARVALT S5**  
**Construction and material of outsole :** **Injection, PU/PU Sole**  
**Pictures :**

**AIGLE**  
**PRO**  
57 BD DE MONTMORENCY 75016 PARIS

EUR	UK	US	CN mm
42	8	8 1/2	260(3.0)

REF:R1283-ARVALT S5  
EN ISO 20345:2011  
S5-SRC  
15/11/2021  
FABRIQUE EN CHINE / MADE IN CHINA  
MX9465/11.21/R1283



**Reference standard :** **EN ISO 20345 : 2011**  
**Classification : II** **Category : S5 SRC**  
**Size range : 39-48** **Slip resistance : SRC**  
**Toecap nature : Non Metallic** **Insert nature : Non Metallic**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from October 2021 and the Instruction for Use index N°2021.A1

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**

Didier GUISADO  
Certification and Quality Manager

**Date of first issue :** 14 October 2021

**End of validity date :** 14 October 2026



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594  
Scope available on:  
www.cofrac.fr

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**AIGLE INTERNATIONAL S.A**

## **MANUFACTURER'S TECHNICAL FILE**

**Reference of the product :** R1283

**Article code :** ARVALT S5

**Technical file index :** 01

**Last update :** OCTOBER 2021

# IDENTIFICATION

Reference of the product : R1283  
Article Code : ARVALT S5  
Minor variant of model : Ref. R1282, art.code ARVALT S5  
Technical file index : 01  
Last update : OCTOBER 2021

## Manufacturer :

AIGLE INTERNATIONAL S.A  
57 BOULEVARD DE MONTMORENCY, 75016 PARIS  
FRANCE

tel : 33 (0)1 41 22 61 67  
fax : N.A

## Factory :

SAINA GROUP CO.,LTD  
ECONOMIC DEVELOPMENT ZONE, RUIAN CITY, ZHEJIANG PROVINCE  
CHINA

Tel : 13806530624  
Fax : N.A

# FOOTWEAR DESCRIPTION

## Footwear description:

The classification of this footwear is: II : All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear

The design of this footwear is: D : knee-height boot

## Visual description:

General view :



Outsole view :



Reference of the mould : 5190811

## Range of sizes :

39-48

## Construction and material of outsole :

Injection, PU/PU Sole

## Field of use

builder (construction industry)

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

# FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	U01	PU smooth	arctic
	U01	PU embossment	arctic
COLLAR	U01	PU smooth	arctic
	U01	PU embossment	arctic
VAMP LINING	L01	stocking covering - Textile polyester	black
QUARTER LINING	L01	stocking covering - Textile polyester	black
INSOCK	ISK01	Mesh with Hi-poly foam & stitched plastic tape on the forepart, removable	black/yellow
OUTSOLE	5190811	PU/PU sole	arctic/grey
TOE CAP	1701G	Manjoy composite toecap	beige
INSERT	501	MINGRUIJIA MJQS composite penetration-resistance insole	white/orange

# PROTECTION SCOPE

## Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


## Additional requirements :

The additional requirements are :


- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Penetration resistance

# MARKING - PACKAGING

## Information printed on the footwear :

- \* Logo of the Manufacturer
- \* Logo 
- \* Manufacturer's type designation
- \* Postal address of manufacturer
- \* Footwear's reference R1283
- \* Article code ARVALT S5
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

## Marking example :



The location of marking is : on collar area of stocking covering

## Method of marking on the footwear :

printing

## Packaging :

one pair of boot packed with color inner box, and 3 pairs in one big box

## References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References
CTC	D200405544_1
CTC	D200608238_1
CTC	D200609100_1
CTC	D210713174_1
CTC	D210816280_1
INTERTEK	GZHT90798150
INTERTEK	GZHT90904086

# MEANS OF CONTROL

please refer to ISO 9001 certificate from Saina factory  
pertinent tests and a frequency: impact resistance, abrasion resistance of sole and SRC per each Batch.



## **PPE subject to ageing :**

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

## **Declaration of conformity :**

Available on : [www.aigle.com](http://www.aigle.com)