

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/154/161/07/20/2002

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: AIGLE INTERNATIONAL S.A

57 BOULEVARD DE MONTMORENCY,75016 PARIS

FRANCE

Description

PPE Type: a safety footwear

Product reference: R1282


Article code : ARVALT S5

Construction and material of outsole: Injection, PU/PU Sole

Pictures:







Reference standard: EN ISO 20345: 2011

Classification: II Category: S5 SRC

Size range: 39-48 Slip resistance: SRC

Toecap nature: Non Metallic Insert nature: Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from JULY, 2020

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by Date of first issue: 20 July 2020

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective

Equipment and repealing the Directive 89/686/EEC.

Maxence DREVET End of validity date: 20 July 2025

Project Certification Manager





www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com



AIGLE INTERNATIONAL S.A

MANUFACTURER'S TECHNICAL FILE

Reference of the product : R1282

Article code: ARVALT S5

Technical file index: 01

Last update: JULY, 2020

IDENTIFICATION

Reference of the product : R1282 Article Code : ARVALT S5

Basic model

Technical file index: 01

Last update : JULY, 2020

Manufacturer:

AIGLE INTERNATIONAL S.A

57 BOULEVARD DE MONTMORENCY,75016 PARIS

FRANCE

tel: 33 (0)1 41 22 61 67

fax: N.A

Factory:

SAINA GROUP CO.,LTD

ECONOMIC DEVELOPMET ZONE, RUIAN CITY, ZHEJIANG PROVINCE

CHINA

Tel: 13806530624

Fax: N.A

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: II: All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear

The design of this footwear is: D: knee-height boot

Visual description:

General view:



Outsole view:



Reference of the mould: 5190811

Range of sizes:

39-48

Construction and material of outsole:

Injection, PU/PU Sole

Field of use

builder (construction industry)

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)					
		Applicable		Covered by	
	Descripements defined in the Anney II \$1 are applicable to		✓	Standard	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	7	V	Instruction for use	
			V	Marking	
	Manufacturer's instructions and information is available	7		Standard	
§1.4			\	Instruction for use	
				Marking	
	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	4	V	Standard	
§2.2			V	Instruction for use	
				Marking	
-	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and	V	7	Standard	
				-	
§2.4			✓	Instruction for use	
	unambiguously marked on each item of PPE placed on the market and on its packaging.		✓	Marking	
	PPE is intended for use in potentially explosive atmospheres		V	Standard	
§2.6		✓	\	Instruction for use	
			V	Marking	
§2.9	PPE incorporating components which can be adjusted or removed by the user	✓	✓	Standard	
			✓	Instruction for use	
				Marking	
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	V	<u> </u>	Standard	
§2.12			✓	Instruction for use	
			✓	Marking	
	Multi-risk PPE	7	<u> </u>	Standard	
§2.14			√	Instruction for use	
			<u> </u>	Marking	
_	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	7	<u> </u>	Standard	
§3.1.1			<u> </u>	Instruction for use	
			<u> </u>	Marking	
	The PPE is intended to protect against falls due to slipping	7	<u> </u>	Standard	
§3.1.2.1			<u> </u>	Instruction for use	
			<u> </u>	Marking	
§3.2	The PPE is intended to protect against static compression of a part of the body	/		Standard	
				Instruction for use	
	5. a p 5. a		<u> </u>	Marking	
§3.3	The PPE is intended to protect against mechanical injuries	✓	<u> </u>	Standard	
				Instruction for use	
			✓	Marking	

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	U01	PU smooth	dk.brown
OPPER	U01	PU embossment	dk.brown
COLLAR	U01	PU smooth	dk.brown/yellow
COLLAR	U01	PU embossment	dk.brown
VAMP LINING	L01	stocking covering - Textile polyester	black
QUARTER LINING	L01	stocking covering - Textile polyester	black
INSOCK	ISK01	Mesh with Hi-poly foam & stitched plastic tape on the forepart, removable	black/yellow
OUTSOLE	5190811	PU/PU sole	dk.brown/black
TOE CAP	1701G	Manjoy composite toecap	beige
INSERT	501	MINGRUIJIA MJQS composite penetration-resistance insole	white/orange

PROTECTION SCOPE

Basic requirements:

This product has been designed to be a safety footwear.

The technical rules are:

European Standard EN ISO 20344: 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipement - Safety footwear others

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

Additional requirements:

The additional requirements are:

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Penetration resistance


MARKING - PACKAGING

Information printed on the footwear:

- Logo of the authorized representative
- * Logo (€
- * Manufacturer's type designation
- Postal address of manufacturer
- * Footwear's reference R1282

 * Article code ARVALT S5
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example:



The location of marking is: on collar area of stocking covering

Method of marking on the footwear:

printing

Packaging:

one pair of boot packed with color inner box, and 3 pairs in one big box

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References		
СТС	D200405544_1		
CTC	D200608238_1		
CTC	D200609100_1		
Intertek	GZHT90798150		
Intertek	GZHT90904086		

MEANS OF CONTROL

please refer to ISO 9001 certificate from Saina factory pertinent tests and a frequency: impact resistance, abrasion resistance of sole and SRC per each Batch.



PPE subject to ageing :

Peremption period: 3 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity:

Available on: www.aigle.com