



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N°** 0075/154/161/04/21/0780

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** AIGLE INTERNATIONAL S.A  
57 BOULEVARD DE MONTMORENCY, 75016 PARIS  
FRANCE

## Description

**PPE Type :** a safety footwear  
**Product reference :** SOLTER S3  
**Article code :** T3051, T3052, T3053, T3131  
**Construction and material of outsole :** Cement, EVA/Rubber Sole  
**Pictures :**



**Reference standard :** EN ISO 20345:2011

**Classification :** I **Category :** S3 SRC

**Size range :** 35-48 **Slip resistance :** SRC

**Toecap nature :** Non Metallic **Insert nature :** Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 02 dated from MAY 2025 and the user instructions index V2025-05-15.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**

William GELAS

Certification manager

**Date of first issue:** 29 April 2021

**Date of end of validity:** 28 April 2026

**Date of update 01:** 26 May 2025



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594  
Scope available on:  
[www.cofrac.fr](http://www.cofrac.fr)

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**AIGLE INTERNATIONAL S.A**

## **MANUFACTURER'S TECHNICAL FILE**

**Reference of the product :** SOLTER S3

**Article code :** T3051, T3052, T3053, T3131

**Technical file index :** 02

**Last update :** MAY 2025

# IDENTIFICATION

Reference of the product : SOLTER S3  
Article Code : T3051, T3052, T3053, T3131  
Basic model  
Technical file index : 02  
Last update : MAY 2025

## Manufacturer :

AIGLE INTERNATIONAL S.A

57 BOULEVARD DE MONTMORENCY, 75016 PARIS

FRANCE

tel : 33 (0)1 41 22 61 67

fax : N.A

## Factory :

ANKLLE SAFETY EQUIPMENT(ZHEJIANG)LTD

1206, HONGYUAN ROAD, RUIAN CITY, ZHEJIANG PROVINCE

CHINA

Tel: 86 577-58901663

Fax: 86 577-58901660

# FOOTWEAR DESCRIPTION

## Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A : low shoe

## Visual description:

General view :



Outsole view :



Reference of the mould : 1703#

## Range of sizes :

35-48

## Construction and material of outsole :

Cement, EVA/Rubber Sole

## Field of use

Building site, Gas station, Decoration site

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)		
		Applicable
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>

# FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	AK-U01	Microfiber PU	black,dk.brown,grey/dk.grey,dk.grey
	AK-U02	counter: TPU	black/yellow
	AK-U04	toe/counter: PVC (coated textile)	black
COLLAR	AK-U01	Microfiber PU	black,dk.brown,grey,dk.grey
TONGUE	AK-U01	Microfiber PU	black,dk.brown,grey,dk.grey
VAMP LINING	AK-L01	Mesh	Black
QUARTER LINING	AK-L01	Mesh	Black, black,yellow,peach
INSOCK	AK-ISK01	Black Mesh with dk.grey EVA foam, full removable	Black/dk.grey
OUTSOLE	1703#	EVA+Rubber	Black,black, black, dk.grey/black
INSOLE	501	MINGRUIJIA Non-metallic Anti-penetration insole	White/Blue
TOE CAP	604A	MANJOY Composite toecap	Beige
INSERT	501	MINGRUIJIA Non-metallic Anti-penetration insole	White/Blue
DECORATIVE ELEMENTS		tongue: TPU with logo	Black/yellow
		Collar: webbing loop	Black
		Upper: Plastic eyelets	Black

# PROTECTION SCOPE

## Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

EN 61340-5-1:2016

This product is a category II PPE

Requirement of the standard EN ISO 20345:2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345:2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


## Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance

# MARKING - PACKAGING

## Information printed on the footwear :

- \* Logo of the Manufacturer
- \* Logo 
- \* Manufacturer's type designation
- \* Postal address of manufacturer
- \* Footwear's reference SOLTER S3
- \* Article code T3051, T3052, T3053, T3131
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

## Marking example :



The location of marking is : back side of tongue

## Method of marking on the footwear :

stitching on back side of tongue

## Packaging :

One pair of shoes packed with tissue paper in inner box

## References of test reports performed in order to verify the compliance with the requirements of the technical rules :

References	References
D191225213_1	D210303285_2
D191225263_1	D210303285_2
D200100526_1	D210404304_1
D200101501_1	GZHT90601628
D200101502_1	GZHT90738287
D200403925_1	GZHT90765908
D200404841_1	GZHT90775033
D200404842_1	GZHT90790922
D200404850_1	GZHT90808459
D200505981_1	GZHT90809768
D200609091_1	GZHT90820844
D201220107_1	GZHT90904086

# MEANS OF CONTROL

Generally we control the quality of our safety footwear as follows:

- 1/ we will test some important items, such as impact, compression, slip resistance during development of products. After all properties can meet the requirement, then we will put them into mass production;
- 2/ We will ask our raw material supplier to provide us good reports, for example, steel toecaps, we need good report for impact, compression; penetration resistance insert, we need report for penetration and flex resistance; and for leather we need report for tear strength, tensile strength, WVP and Cr VI. All report must be in accordance with correct standard, such as EN12568:2010 for toecaps and insert; EN ISO 20345:2011 for upper material.
- 3/ Our QC will make sure that the quality check must be performed strictly for each step. From cutting, stitching, lasting, injection and cleaning, if some problems are found, we must solve them at once in order that the good quality shoes can be produced smoothly;
- 4/ We will pick up some finished shoes from warehouse at random , and send them to testing company to perform impact, sole flex resistance and abrasion resistance, bonding strength per each Batch.
- 5/ Before shipment, we will ask our QC to carry out final inspection randomly. The whole goods can be delivered when the result of inspection is positive.

## **PPE subject to ageing :**

Peremption period : 3 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

## **Declaration of conformity :**

Available on : <http://www.anklle.com/jcxg/qt/index.html>